PHYTOCHEMISTRY

THE INTERNATIONAL JOURNAL
OF PLANT BIOCHEMISTRY
AND MOLECULAR BIOLOGY

Editor-in-Chief

J. B. HARBORNE F.R.S.

Associate Editor (North America)

N. G. LEWIS

Executive Editor

T. A. SMITH

Volume 43 Contents, Author Index and
Subject Index 1996

PERGAMON

PHYTOCHEMISTRY

The International Journal of Plant Biochemistry and Molecular Biology

Editor-in-Chief

J. B. HARBORNE F.R.S.: Plant Science Laboratories, The University, Whiteknights, Reading RG6 2AS, Berks., U.K.

Associate Editor (North America)

N. G. LEWIS: Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.

Executive Editor

T. A. SMITH: Long Ashton Research Station, Bristol BS18 9AF, U.K.

Associate Editors

L. J. GOAD: School of Biological Sciences, Liverpool University, Liverpool L69 7ZB, U.K.

P. J. HOLLOWAY: Long Ashton Research Station, Bristol BS18 9AF, U.K.

P. J. LEA (Review Editor): Division of Biological Science, University of Lancaster, Lancaster LA1 4YQ, U.K.

D. R. THRELFALL: Dept of Biological Sciences, School of Life Sciences, University of Hull, Hull HU6 7RX, U.K.

C. A. WILLIAMS: Plant Science Laboratories, The University, Whiteknights, Reading RG6 2AS, Berks., U.K.

Production Editor

R. J. COLLINS: Journals Production Dept, Research Journals, Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. Tel: +44(0) 1865 843519. Fax: +44(0) 1865 843969. E-mail: chemistry.production@elsevier.co.uk

EDITORIAL BOARD—1997

Y. Asakawa:	Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yameshiro-cho, 770 Tokushima, Japan.
E. A. Bell:	Pharmacology Group, King's College, Manresa Road, London SW3 6LX, U.K.
G. P. Bolwell:	School of Biological Sciences, Royal Holloway, University of London, Egham, Surrey TW20 0EX, U.K.
E. G. Brown:	Biochemistry Group, School of Biological Sciences, University of Wales Swansea, Singleton Park, Swansea SA2 8PP, U.K.
E. E. Conn:	Dept of Biochemistry and Biophysics, University of California, Davis, CA 95616, U.S.A.
G. Cordell:	Program for Collaborative Research in the Pharmaceutical Sciences, College of Pharmacy, University of Illinois at Chicago, IL 60612, U.S.A.
R. Croteau:	Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.
V. De Luca:	Dept de sciences biologiques, Institut de recherche en biologie vegetale, Universite de Montreal, 4101 est rue Sherbrooke, Montreal, Quebec, Canada H1X 2B2.
B. Ellis:	Dept of Plant Science, University of British Columbia, 2357 Main Hall, Vancouver, B.C., Canada V6T 1Z4.
N. H. Fischer:	Dept of Chemistry, Louisiana State University, Baton Rouge, LA 70803, U.S.A.
L. Fowden:	Rothamsted Experimental Station, Harpenden, Herts., U.K.
O. R. Gottlieb:	Instituto de Quimica, Universidade de São Paulo, C.P. 20780, São Paulo 01498, Brazil.
J. L. Harwood:	Dept of Biochemistry, University of Wales, P.O. Box 903, Cardiff CF1 1ST, U.K.
W. Herz:	Dept of Chemistry, The Florida State University, Tallahassee, FL 32306, U.S.A.
K. Hostettmann:	Institut de Pharmacognosie et Phytochemie, B.E.P., 1015 Dorigny-Lausanne, Switzerland.
T. J. Mabry:	Dept of Botany, University of Texas at Austin, TX 78713, U.S.A.
P. Mazliak:	Lab. de Physiologie Cellulaire, Université Pierre et Marie Curie, 75005 Paris, France.
B. V. Milborrow:	School of Biochemistry, University of NSW, P.O. Box 1, Kensington, NSW 2033, Australia.
T. Okuda:	Kitakata 3-4-25, Okayama City 700, Japan.
J. D. Phillipson:	School of Pharmacy, University of London, 29/39 Brunswick Square, London WC1N 1AX, U.K.
J. E. Poulton:	Dept of Botany, University of Iowa, Iowa City, IA 52242, U.S.A.
U. Sankawa:	Faculty of Pharmaceutical Sciences, Dept of Pharmacognosy, Toyama Medical and Pharmaceutical University, 2635 Sugitani, Toyama 930-10, Japan.
D. Strack:	Institut für Pflanzenbiochemie, Abt. Sekundarstoffwechsel, Weinberg 3, D-06120 Halle (Saale), Germany.
G. H. N. Towers:	Dept of Botany, University of British Columbia, 2357 Main Hall, Vancouver, B.C., Canada V6T 1Z4.
H. Wagner:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.
P. G. Waterman:	Phytochemistry Research Laboratories, Dept of Pharmacy, University of Strathclyde, 204 George Street, Glasgow G1 1XW, U.K.
M. H. Zenk:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.

All manuscripts and contributions should be submitted to either J. B. HARBORNE at Reading or N. G. LEWIS at Pullman. Authors are earnestly requested to consult the latest 'Instructions to Authors', which are published in Vol. 44, No. 1 (copies of these instructions are available from the Reading office) and the 'Aims and Scope' of the journal (see inside back cover). Review articles are welcomed, but intending Authors should send an outline to P. J. LEA before preparing their manuscripts. Books for review should be sent to J. B. HARBORNE.

This journal has been designated an official organ of the 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America' and Society announcements will appear at regular intervals. Reduced subscription rates are available to members of both Societies (details available from Society offices).

Publishing and Advertising Offices: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

Annual Subscription Information: Published semi-monthly, two issues per month, January to December (three volumes 1997).

Annual Institutional Subscription Rates 1997: Europe, The CIS and Japan 3983.00 Dutch Guilders. All other countries US$2459.00. Associated Personal Subscription rates are available on request for those whose institutions are library subscribers. Dutch Guilder prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

Any enquiry relating to subscriptions should be sent to: **The Americas:** Elsevier Science, Customer Support Department, P.O. Box 945, New York, NY, 10010, U.S.A. [Tel: (+1) 212-633-3730 / 1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com]. **Japan:** Elsevier Science, Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan [Tel: (+3) 5561-5033. Fax: (+3) 5561-5047. E-mail: kyf04035@niftyserve.or.jp]. **Asia Pacific (*excluding Japan*):** Elsevier Science (Singapore) Pte Ltd, No. 1 Temasek Avenue, 17-01 Millennia Tower, Singapore 039192. [Tel: (+65) 434-3727. Fax: (+65) 337-2230. E-mail: asiainfo@elsevier.com.sg]. **Rest of the World:** Elsevier Science, Customer Service Department, P.O. Box 211, 1001 AE Amsterdam, The Netherlands. [Tel: (+31) 20-485-3757. Fax: (+31) 20-485-3432. E-mail: nlinfo-f@elsevier.nl]. *Microform back issues*: back issues of all previously published volumes in both hard copy and on microform, are available direct from Elsevier Science Offices (Oxford, New York).

Copyright © 1997 Elsevier Science Ltd

PERIODICALS POSTAGE PAID AT RAHWAY, NJ AND ADDITIONAL ENTRY POINTS. *Phytochemistry* **(ISSN 0031-9422)** is published **semi-monthly, two issues per month, January to December in three volumes**, by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB U.K. The annual subscription in the U.S.A. is **$2459**. *Phytochemistry* is distributed by Mercury Airfreight International Ltd, 10 Camptown Road, Irvington, NJ 07111-1105. Postmaster: please send address corrections to *Phytochemistry*, c/o Elsevier Science, Regional Sales Office, Customer Support Department, 655 Avenue of the Americas, New York, NY 10010, U.S.A. [Tel: (+1) 212-633-3730 / 1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com].

CONTENTS OF VOLUME 43

Number 1

Review Article Number 113

Catalytic reactivities and structure/function relationships of cytochrome P450 enzymes — 1 B. A. Halkier

Growth and Metabolism

Identification of three C_{20}-gibberellins: GA_{97} (2β-hydroxy-GA_{53}), GA_{98} (2β-hydroxy-GA_{44}) and GA_{99} (2β-hydroxy-GA_{19}) — 23 L. N. Mander, D. J. Owen, S. J. Croker, P. Gaskin, P. Hedden, M. J. Lewis, M. Talon, D. A. Gage, J. A. D. Zeevaart, M. L. Brenner and Chuxing Sheng

Chitinase and β-1,3-glucanase in the lutoid-body fraction of *Hevea* latex — 29 T. Subroto, G. A. van Koningsveld, H. A. Schreuder, U. M. S. Soedjanaatmadja and J. J. Beintema

Major proteinase hydrolysing gliadin during wheat germination — 39 A. Bottari, A. Capocchi, D. Fontanini and L. Galleschi

Leaf epicuticular lipids of *Prunus laurocerasus*: importance of extraction methods — 45 L. Stammitti, S. Derridj and J. P. Garrec

Seasonal variations of triacylglycerols and fatty acids in *Fucus serratus* — 49 M.-K. Kim, J.-P. Dubacq, J.-C. Thomas and G. Giraud

Ecological Biochemistry

A putative precursor protein in the evolution of the bean α-amylase inhibitor — 57 F. Finardi-Filho, T. E. Mirkov and M. J. Chrispeels

An allelopathic polyunsaturated fatty acid from red algae — 63 M. Suzuki, I. Wakana, T. Denboh and M. Tatewaki

Fungistatic sesquiterpenoids from *Parthenium* — 67 G. T. Maatooq and J. J. Hoffmann

Acutilols, potent herbivore feeding deterrents from the tropical brown alga, *Dictyota acutiloba* — 71 I. H. Hardt, W. Fenical, G. Cronin and M. E. Hay

Inhibition of higher plant 2,3-oxidosqualene cyclases by nitrogen-containing oxidosqualene analogues — 75 M. Taton, M. Ceruti, L. Cattel and A. Rahier

Cell Culture and Biotechnology

Alloaromandendranes, bicyclogermacrane and 2,3-secoalloaromandendranes in cultured cells of the liverwort, *Heteroscyphus planus* — 83 K. Nabeta, S. Ohkubo, R. Hozumi, Y. Fukushi, H. Nakai and K. Katoh

Taxanes exported from *Taxus* × *media* Hicksii cuttings into liquid medium over time — 95 A. M. Hoffman, C. C. J. Voelker, A. T. Franzen, K. S. Shiotani and J. S. Sandhu

Ring-A cleavage of 3-oxo-olean-12-en-28-oic acid by the fungus *Chaetomium longirostre* — 99 N. Shirane, Y. Hashimoto, K. Ueda, H. Takenaka and K. Katoh

Biotransformation of acyclic terpenoid (2*E*,6*E*)-farnesol by plant pathogenic fungus *Glomerella cingulata* — 105 M. Miyazawa, H. Nankai and H. Kameoka

O-Demethylation of 7,7′-epoxylignans by *Aspergillus niger* — 111 H. Kasahara, M. Miyazawa and H. Kameoka

In vivo NMR analysis of tropane alkaloid metabolism in transformed root and de-differentiated cultures of *Datura stramonium* — 115 Y.-Y. Ford, R. G. Ratcliffe and R. J. Robins

Chemotaxonomy

Neoisoprelaurefucin, a halogenated C_{15} non-terpenoid compound from *Laurencia nipponica* — 121 M. Suzuki, Y. Mizuno, Y. Matsuo and M. Masuda

The isolation of a prenylcoumarin of chemotaxonomic significance from *Murraya paniculata* var. *omphalocarpa* — 125 T. Kinoshita, Jin-Bin Wu and Feng-Chi Ho

Bioactive Plant Products

Antibiotic phenol nor-triterpenes from *Maytenus canariensis* — 129 A. G. González, N. L. Alvarenga, A. G. Ravelo, I. A. Jiménez, I. L. Bazzocchi, N. J. Canela and L. M. Moujir

Carbazole alkaloids from *Clausena excavata* and their biological activity — 133 Tian-Shung Wu, Shiow-Chyn Huang, Pei-Lin Wu and Che-Ming Teng

Plant Chemistry

2-Ethyl-3-methylmaleimide *N*-β-D-glucopyranoside from the leaves of mangosteen (*Garcinia mangostana*) — 141 D. Krajewski, G. Tóth and P. Schreier

Absolute configuration of octanol derivatives in apple fruits — 145 T. Beuerle, P. Schreier, P. Brunerie, C. Bicchi and W. Schwab

Long-chain fatty acids from *Monascus purpureus* — 151 P. Jůzlová, T. Řezanka, L. Martínková and V. Křen

2,5-Dimethyl-4-hydroxy-3[2H]-furanone 6′*O*-malonyl-β-D-glucopyranoside in strawberry fruits — 155 R. Roscher, M. Herderich, J.-P. Steffen, P. Schreier and W. Schwab

Dinormonoterpenoids and their apiosylglucosides from *Thevetia peruviana* — 161 F. Abe, Rong-Fuh Chen and T. Yamauchi

Mulinolic acid, a diterpenoid from *Mulinum crassifolium* — 165 L. A. Loyola, J. Bórquez, G. Morales and A. S. Martín

Diterpenes from *Achillea clypeolata* — 169 I. Aljančić, S. Macura, N. Juranić, S. Andjelković, N. Randjelović and S. Milosavljević

Neo-clerodane diterpenoids from *Scutellaria orientalis* subsp. *pinnatifida* — 173 P. Y. Malakov and G. Y. Papanov

Two pentacyclic triterpenes from *Phytolacca dodecandra* roots — 179 S. M. Spengel

Triterpenoidal saponin glycosides from *Glinus lotoides* var. *dictamnoides* — 183 A. I. Hamed, I. Springuel, N. A. El-Emary, H. Mitome, H. Miyaoka and Y. Yamada

Saponins from *Pisonia umbellifera* — 189 C. Lavaud, S. Beauvière, G. Massiot, L. Le Men-Olivier and G. Bourdy

An echinocystic acid saponin derivative from *Kalimeris shimadae* — 195 Y. Shao, O. Poobrasert, Chi-Tang Ho, Chee-Kok Chin and G. A. Cordell

Steroidal glycosides from the subterranean parts of *Liriope spicata* var. *prolifera* — 201 Bo-Yang Yu, Sheng-Xiang Qiu, K. Zaw, Guo-Jun Xu, Y. Hirai, J. Shoji, H. H. S. Fong and A. D. Kinghorn

The stilbenoids from *Dendrobium plicatile* — 207 M. Yamaki and C. Honda

Ruakuric acid: a natural product from *Aspergillus fumigatus* — 209 H. G. Cutler, D. R. Lauren, A. L. Wilkins, P. T. Holland, R. A. Hill and F. M. Dugan

Structure and synthesis of phlobatannins related to the (4β,6:4α,8)-bis-fisetinidol-catechin profisetinidin triflavanoid — 215 S. L. Bonnet, J. P. Steynberg, B. C. B. Bezuidenhoudt, C. M. Saunders and D. Ferreira

Structure and synthesis of phlobatannins related to the (4β,6:4β,8)-bis-fisetinidol-catechin profisetinidin triflavanoid 229 S. L. Bonnet, J. P. Steynberg, B. C. B. Bezuidenhoudt, C. M. Saunders and D. Ferreira

Structure and synthesis of phlobatannins related to the (4α,6:4β,8)-bis-fisetinidol-catechin profisetinidin triflavanoid 241 S. L. Bonnet, J. P. Steynberg, B. C. B. Bezuidenhoudt, C. M. Saunders and D. Ferreira

Structure and synthesis of phlobatannins related to bis-fisetinidol-epicatechin profisetinidin triflavanoids 253 S. L. Bonnet, J. P. Steynberg, B. C. B. Bezuidenhoudt, C. M. Saunders and D. Ferreira

Unambiguous assignments for free dimeric proanthocyanidin phenols from 2D NMR 265 T. De Bruyne, L. A. C. Pieters, R. A. Dommisse, H. Kolodziej, V. Wray, T. Domke and A. J. Vlietinck

Cyclic diarylheptanoids from rhizomes of *Zingiber officinale* 273 H. Kikuzaki and N. Nakatani

Mayoside, an oxanthrone from *Picramnia hirsuta* 279 M. del R. Hernandez-Medel, O. Lopez-Marquez, R. Santillan and A. Trigos

Flavonol glycosides from *Vernonia galamensis* ssp. *nairobiensis* 283 F. Miserez, O. Potterat, A. Marston, G. M. Mungai and K. Hostettmann

Norditerpenoid alkaloids from the roots of *Delphinium potaninii* 287 Hai-Yan Pu, Feng-Peng Wang and Chun-Tao Che

Fareanine and fareanol from leaves of *Medicosma fareana* 291 S. Habtemariam, P. G. Waterman and T. G. Hartley

Two 7,7′-Bisdehydroaporphine alkaloids from *Polyalthia bullata* 295 J. D. Connolly, Md. E. Haque and A. A. Kadir

Alkaloids from *Cephalotaxus harringtonia* 299 I. Takano, I. Yasuda, M. Nishijima, Y. Hitotsuyanagi, K. Takeya and H. Itokawa

Cyclohexane diepoxides from *Kaempferia rotunda* 305 O. Pancharoen, P. Tuntiwachwuttikul and W. C. Taylor

Short Reports

Eudesmanolides from *Artemisia herba-alba* 309 D. Boriky, M. Berrada, M. Talbi, G. Keravis and F. Rouessac

Teixidol, an *abeo*-taxane from European yew, *Taxus baccata* 313 J. Soto, M. Fuentes and L. Castedo

Hookerianin: a flavone from *Tephrosia hookeriana* 315 P. Prabhakar, A. Vanangamudi, R. Gandhidasan and P. V. Raman

Book Reviews 317

Number 2

Growth and Metabolism

Fructose 2,6-bisphosphate-modulated photosynthesis in sorghum leaves grown under low water regimes 319 A. R. Reddy

Polyamines, abscisic acid and ethylene production in tomato fruit 323 M. C. Martínez-Madrid, M. Serrano, F. Riquelme and F. Romojaro

Complete amino acid sequences of two trypsin inhibitors from buckwheat seed 327 M. J. Pandya, D. A. Smith, A. Yarwood, J. Gilroy and M. Richardson

Tyrosinase isoforms from the fruitbodies of *Agaricus bisporus* 333 H. J. Wichers, Y. A. M. Gerritsen and C. G. J. Chapelon

Oxidation of acetylpolyamines by maize polyamine oxidase 339 R. Federico, L. Ercolini, M. Laurenzi and R. Angelini

Inhibition of 1-aminocyclopropane-1-carboxylate oxidase by 2-oxoacids 343 T. Iturriagagoitia-Bueno, E. J. Gibson, C. J. Schofield and P. John

Purification and characterization of phenylalanine ammonia-lyase from *Ustilago maydis* 351 Seong Hwan Kim, J. W. Kronstad and B. E. Ellis

Differential inhibition of eukaryote protein kinases by condensed tannins 359 Bing Hui Wang, Lai Yeap Foo and G. M. Polya

Glycinebetaine is a major nitrogen-containing solute in the Malvaceae 367 J. Gorham

Ecological Biochemistry

Release of alkenyl isothiocyanates and other volatiles from *Brassica rapa* seedlings during infection by *Alternaria brassicae* 371 K. J. Doughty, M. M. Blight, C. H. Bock, J. K. Fieldsend and J. A. Pickett

Dermatolactone, a cytotoxic fungal sesquiterpene with a novel skeleton 375 A. Mayer, B. Köpke, H. Anke and O. Sterner

Colutequinone and colutehydroquinone, antifungal isoflavonoids from *Colutea arborescens* 377 P. W. Grosvenor and D. O. Gray

Biosynthesis

Distribution and biosynthesis of stearidonic acid in leaves of *Borago officinalis* 381 G. Griffiths, E. Y. Brechany, F. M. Jackson, W. W. Christie, S. Stymne and A. K. Stobart

Cell Culture and Biotechnology

Cercospora beticola toxins. Use of fluorescent cyanine dye to study their effects on tobacco cell suspensions 387 I. Gapillout, V. Mikes, M.-L. Milat, F. Simon-Plas, A. Pugin and J.-P. Blein

Biotransformation of isosteviol by *Fusarium verticilloides* 393 B. H. de Oliveira and R. A. Strapasson

Chemotaxonomy

Genetic control of kavalactone chemotypes in *Piper methysticum* cultivars 397 V. Lebot and J. Levesque

Bioactive Plant Products

Two new bioactive diterpenes from *Lepista sordida* 405 X. Mazur, U. Becker, T. Anke and O. Sterner

A lignan and four terpenoids from *Brucea javanica* that induce differentiation with cultured HL-60 promyelocytic leukemia cells 409 L. Luyengi, N. Suh, H. H. S. Fong, J. M. Pezzuto and A. D. Kinghorn

Plant Chemistry

A water-soluble β-D-glucan from *Boletus erythropus* 413 C. Chauveau, P. Talaga, J.-M. Wieruszeski, G. Strecker and L. Chavant

Eudesmane derivatives from *Pluchea quitoc* 417 G. M. S. P. Guilhon and A. H. Müller

Guaianolides from *Picris radicata* 423 H. S. Al-Easa, A.-F. M. Rizk and A. A. Ahmed

Sesquiterpene *o*-naphthoquinones from the root bark of *Ulmus davidiana* 425 Jong-Pyung Kim, Won-Gon Kim, H. Koshino, J. Jung and Ick-Dong Yoo

Norsesterterpenes and diterpenes from the aerial parts of *Salvia limbata* 431 A. Ulubelen, G. Topcu, U. Sönmez, C. Eriş and U. Özgen

Neo-clerodane diterpenoids from three species of *Teucrium* 435 B. Rodríguez, M. C. de la Torre, M. Bruno, F. Piozzi, N. Vassallo, R. Ciriminna and O. Servettaz

Taxanes of the needles of *Taxus* × *media* 439 K. V. Rao, G. C. Reddy and J. Juchum

Triterpenoid glycosides from *Ilex kudincha* 443 Ming-An Ouyang, Han-Qing Wang, Zi-Li Chen and Chong-Ren Yang

Bacopasaponin D—a pseudojujubogenin glycoside from *Bacopa monniera* 447 S. Garai, S. B. Mahato, K. Ohtani and K. Yamasaki

Limonoids from the seeds of *Azadirachta indica* 451 Ch. S. S. R. Kumar, M. Srinivas and S. Yakkundi

Trichavensin, a prieurianin derivative from *Trichilia havanensis* 457 L. Rodríguez-Hahn, J. Cárdenas and C. Arenas

Ring D aromatic ergostane derivatives from *Salpichroa origanifolia* 461 M. C. Tettamanzi, A. S. Veleiro, J. C. Oberti and G. Burton

Steroidal saponins from *Smilax officinalis* 465 R. R. Bernardo, A. V. Pinto and J. P. Parente

A resveratrol dimer from *Anigozanthos preissii* and *Musa cavendish* 471 D. Hölscher and B. Schneider

Phenylethanoid glycosides from *Stachys officinalis* 475 T. Miyase, R. Yamamoto and A. Ueno

Carbohydrate esters of cinnamic acid from fruits of *Physalis peruviana*, *Psidium guajava* and *Vaccinium vitis-idaea* 481 S. Latza, D. Ganßer and R. G. Berger

Minor hydroxycinnamic acid spermidines from pollen of *Quercus dentata* 487 M. Nimtz, M. Bokern and B. Meurer-Grimes

Coumarins from *Metrodorea flavida* 491 A. C. S. Baetas, M. S. P. Arruda, A. H. Müller and A. C. Arruda

Three chromone components from *Aloe vera* leaves 495 N. Okamura, N. Hine, S. Harada, T. Fujioka, K. Mihashi and A. Yagi

A comparison of lignin polymer models (DHPs) and lignins by ^{31}P NMR spectroscopy 499 B. Saake, D. S. Argyropoulos, O. Beinhoff and O. Faix

Polymeric proanthocyanidins from grape skins 509 J.-M. Souquet, V. Cheynier, F. Brossaud and M. Moutounet

Xanthones from *Hypericum roeperanum* 513 G. Rath, O. Potterat, S. Mavi and K. Hostettmann

Acylated flavonoids from *Blepharis ciliaris* 521 F. M. Harraz, A. T. Pedersen, Ø. M. Andersen, L. Verotta and M. Tatò

Flavonoids from *Epimedium wanshanense* 527 Wen-Kui Li, Ru-Yi Zhang and Pei-Gen Xiao

Isoprenoid-substituted flavonoids from *Glycyrrhiza glabra* 531 T. Fukai, L. Tantai and T. Nomura

Book Reviews 533

Number 3

Announcement ix

Review Article Number 114

The phytochemistry of *Rosa rugosa* — 535 Y. Hashidoko

Review Article Number 115

Chemistry of biologically active benzoxazinoids — 551 Y. Hashimoto and K. Shudo

Growth and Metabolism

Purification and characterization of the mitochondrial F_1 ATPase from *Sorghum* — 561 A. P. Sane, V. A. Sane and P. V. Sane

Enhancement of peroxidase activity by stress-related chemicals in sweet potato — 565 Sang-Soo Kwak, Soo-Kyung Kim, Il-Hyun Park and J. R. Liu

Dhurrin-6′-glucoside, a cyanogenic diglucoside from *Sorghum bicolor* — 569 D. Selmar, Z. Irandoost and V. Wray

Developmental changes in the monoterpene composition of *Mentha* × *piperita* leaves from individual peltate trichomes — 573 B. Voirin and C. Bayet

Ecological Biochemistry

Limonoids from *Melia azedarach* — 581 Ruo Chun Huang, K. Tadera, F. Yagi, Y. Minami, H. Okamura, T. Iwagawa and M. Nakatani

Biosynthesis

Inter- and intramolecular isotopic correlations in some cyanogenic glycosides and glucosinolates and their practical importance — 585 M. Butzenlechner, S. Thimet, K. Kempe, H. Kexel and H.-L. Schmidt

A brassinolide biosynthetic pathway via 6-deoxocastasterone — 593 Yong-Hwa Choi, S. Fujioka, A. Harada, T. Yokota, S. Takatsuto and A. Sakurai

Biosynthesis of ecdysteroids in *in vitro* prothalli cultures of *Polypodium vulgare* — 597 N. Reixach, J. Irurre-Santilari, J. Casas, E. Melé, J. Messeguer and F. Camps

Cell Culture and Biotechnology

Absorption and increase in the production of prenylated flavanones in *Sophora flavescens* cell suspension cultures by cork pieces — 603 H. Yamamoto, M. Yamaguchi and K. Inoue

Chemotaxonomy

Essential oils from fruits of three types of *Thapsia villosa* — 609 P. Avato, G. Trabace and U. W. Smitt

Sterols from *Teucrium abutiloides* and *T. betonicum* — 613 H. Gaspar, F. M. S. Brito Palma, M. C. de la Torre and B. Rodríguez

Plant Chemistry

Ceramides from the fungus *Phellinus pini* — 617 A. Lourenço, A. M. Lobo, B. Rodríguez and M.-L. Jimeno

Mono- and diglycosides of (*E*)-6,9-dihydroxymegastigma-4,7-dien-3-one in *Vitis vinifera* wine — 621 R. Baltenweck-Guyot, J.-M. Trendel, P. Albrecht and A. Schaeffer

Iridoid glucosides from *Galium album* and *G. lovcense* — 625 N. Handjieva, M. Mitova, M. Ancev and S. Popov

The sesquiterpene constituents of the liverwort *Preissia quadrata* — 629 W. A. König, N. Bülow, C. Fricke, S. Melching, A. Rieck and H. Muhle

Clerodane diterpenes from the leaves of *Laetia procera* — 635 S. Gibbons, A. I. Gray and P. G. Waterman

A taxane-11,12-oxide from *Taxus yunnanensis* — 639 Qin Yue, Qi-Cheng Fang and Xiao-Tian Liang

Three 9,19-cyclotetracyclic triterpenes from *Skimmia wallichii* — 643 I. Kostova, M. Simeonov, T. Iossifova, R. Tappe, N. Pardeshi and H. Budzikiewicz

The dichapetalins—a new class of triterpenoids 649 I. Addae-Mensah, R. Waibel, S. A. Asunka, I. V. Oppong and H. Achenbach

The absolute configuration of dichapetalin A 657 E. Weckert, G. Mattern, I. Addae-Mensah, R. Waibel and H. Achenbach

Upon 'physalin L' isolated from *Physalis minima* 661 M. Kawai, B. Makino, H. Yamamura and Y. Butsugan

Aferoside A, a steroidal saponin from *Costus afer* 665 Rui-Chao Lin, B. Hanquet and M.-A. Lacaille-Dubois

Butanolides and a neolignan from the fruits of *Iryanthera paraensis* Huber 669 F. M. Motter Magri, M. J. Kato and M. Yoshida

Benzofuranoids with carbon frameworks reminiscent of products of benzylic acid rearrangement 673 R. Bekker, R. S. Smit, E. V. Brandt and D. Ferreira

Six xanthones from *Calophyllum austroindicum* 681 M. Iinuma, H. Tosa, N. Toriyama, T. Tanaka, T. Ito and V. Chelladurai

Piliostigmin, a 2-phenoxychromone, and *C*-methylflavonols from *Piliostigma thonningii* 687 J. C. Ibewuike, A. O. Ogundaini, F. O. Ogungbamila, M.-T. Martin, J.-F. Gallard, L. Bohlin and M. Païs

Prenylflavonoids from *Artocarpus elasticus* 691 A. Kijjoa, H. M. Cidade, M. M. M. Pinto, M. J. T. G. Gonzalez, C. Anantachoke, T. E. Gedris and W. Herz

Isoflavenes from the roots of *Cicer judaicum* 695 P. C. Stevenson and N. C. Veitch

Absolute configuration of a cyclopeptide alkaloid, sanjoinine-G1, from *Zizyphus vulgaris* var. *spinosus* 701 Myung Hwan Park, Dae-Yeon Suh and Byung Hoon Han

Steroidal alkaloids from roots of *Solanum spirale* 705 H. Ripperger

Tropane alkaloids from *Schizanthus litoralis* 709 O. Muñoz, M. Piovano, J. Garbarino, V. Hellwig and E. Breitmaier

Two securinega-type alkaloids from *Phyllanthus amarus* 715 P. J. Houghton, T. Z. Woldemariam, S. O'Shea and S. P. Thyagarajan

Quinolone alkaloids from *Evodia rutaecarpa* 719 Yuan-Qing Tang, Xiao-Zhang Feng and Liang Huang

19α-Hydroxygelsamydine from *Gelsemium elegans* 723 Long-Ze Lin, Shu-Fang Hu and G. A. Cordell

Number 4

Announcement ix

Growth and Metabolism

Tuberonic (12-OH-jasmonic) acid glucoside and its methyl ester in potato 727 I. Šimko, E. A. Omer, E. E. Ewing, S. McMurry, J. L. Koch and P. J. Davies

The resistant 'biopolymer' in cell walls of *Coelastrum sphaericum* 731 M. C. Rodríguez and A. S. Cerezo

Purification and characterization of a phenylalanine ammonia-lyase from *Ocimum basilicum* 735 Zhigang Hao, D. J. Charles, Liangli Yu and J. E. Simon

Sugar biotransformations by fungi on leaves of the resurrection plant *Sporobolus stapfianus* 741 C. Murelli, V. Adamo, P. Vita Finzi, F. Marinone Albini, A. Bochicchio and A. M. Picco

Fatty acids in polar lipids from etiolated *Cichorium intybus* 747 E. O. Krebsky, J. M. C. Geuns and M. De Proft

Comparison of volatiles and waxes in leaves of genetically engineered tomatoes 753 R. M. Smith, J. A. Marshall, M. R. Davey, K. C. Lowe and J. B. Power

Volatile organic compounds emitted from beech leaves 759 L. Tollsten and P. M. Müller

7- and 8-*O*-methylherbacetin-3-*O*-sophorosides from bee pollens and some structure/activity observations 763 K. R. Markham and M. Campos

Biosynthesis

Isopentenyl diphosphate isomerase in rubber latex 769 T. Koyama, D. Wititsuwannakul, K. Asawatreratanakul, R. Wititsuwannakul, N. Ohya, Y. Tanaka and K. Ogura

Cell Culture and Biotechnology

Isolation of 7-dehydrocholesterol from cell cultures of *Solanum malacoxylon* 773 T. Aburjai, S. Bernasconi, L. Manzocchi and F. Pelizzoni

Chemotaxonomy

Caffeoyl phenylethanoid glycosides in *Sanango racemosum* and in the Gesneriaceae 777 S. R. Jensen

Seasonal variations of carbazole alkaloids in *Murraya euchrestifolia* 785 Tian-Shung Wu, Meei-Ling Wang and Pei-Lin Wu

Bioactive Plant Products

11-Hydroxy-4-methyl-2,4,6-dodecatrienoic acid from fermentations of a *Mucor* species 791 K. Lorenzen, T. Anke and O. Sterner

Plant Chemistry

Six acetogenins from *Uvaria tonkinesis* 793 Ying Chen, Ruo Yun Chen and De Quan Yu

An oxidative metabolite of perillaldehyde from *Perilla frutescens* 803 M. Tada, R. Matsumoto and K. Chiba

Further acylated secoiridoid glucosides from *Gentiana rhodantha* 805 Wei-Guang Ma, N. Fuzzati, J.-L. Wolfender, Chong-Ren Yang and K. Hostettmann

Sesquiterpenoid constituents of *Entandrophragma cylindricum* 811 W. M. Daniewski, W. Anczewski, M. Gumulka, W. Danikiewicz, U. Jacobsson and T. Norin

Eudesmane sesquiterpenes from *Artemisia eriopoda* 815 Jin-Feng Hu, Su-Ping Bai and Zhong-Jian Jia

Cycloeudesmanolides from *Sarcandra glabra* 819 Wing-Yan Tsui and G. D. Brown

Sesquiterpene lactones from *Crepis rhoeadifolia* 823 W. Kisiel and B. Barszcz

Neo-clerodane diterpenoids from *Ajuga parviflora* 827 P. S. Beauchamp, A. T. Bottini, M. C. Caselles, V. Dev, H. Hope, M. Larter, G. Lee, C. S. Mathela, A. B. Melkani, P. D. Millar, M. Miyatake, A. K. Pant, R. J. Raffel, V. K. Sharma and D. Wyatt

A neo-clerodane diterpenoid from *Scutellaria baicalensis* 835 A. A. Hussein, M. C. de la Torre, M.-L. Jimeno, B. Rodríguez, M. Bruno, F. Piozzi and O. Servettaz

Taxanes from *Taxus mairei* 839 Shung-Jim Yang, Jim-Min Fang and Yu-Shia Cheng

1β,15α-Dihydroxyfriedelan-3-one, a triterpene from *Salacia beddomei* 843 A. Hisham, G. Jayakumar, Y. Fujimoto and N. Hara

Three triterpene esters from *Zizyphus jujuba* 847 Shoei-Sheng Lee, Buh-Fang Lin and K. C. Liu

Pindrolactone, a lanostane derivative from the leaves of *Abies pindrow* 853 M. Tripathi, L. Jain, V. B. Pandey, A. B. Ray and G. Rücker

Protolimonoids and quassinoids from *Picrolemma granatensis* 857 E. Rodrigues Fo., J. B. Fernandes, P. C. Vieira, M. F. das G. F. da Silva, J. Zukerman-Schpector, R. M. O. Corrêa de Lima, S. C. Nascimento and W. Thomas

Prenylated hydroxybenzoic acid derivatives from *Piper murrayanum* 863 N. P. Seeram, H. Jacobs, S. McLean and W. F. Reynolds

Aloeresins E and F, two chromone derivatives from *Aloe peglerae* 867 F. R. van Heerden, B.-E. van Wyk and A. M. Viljoen

Chromones and chromanones from *Baeckea frutescens* 871 Wing-Yan Tsui and G. D. Brown

Coumarins from the aerial parts of *Chorilaena quercifolia* 877 A. N. Bissoue, F. Muyard, F. Bevalot, F. Tillequin, M.-F. Mercier, J. A. Armstrong, J. Vaquette and P. G. Waterman

Coumarins from *Peucedanum ostruthium* 881 A. Hiermann, D. Schantl, M. Schubert-Zsilavecz and J. Reiner

^{13}C NMR assignments of some dibenzyl-γ-butyrolactone lignans 885 A. Estévez-Braun, R. Estévez-Reyes and A. G. González

Flavans and A-type proanthocyanidins from *Prunus prostrata* 887 A. R. Bilia, I. Morelli, M. Hamburger and K. Hostettmann

Two isoprenoid-substituted isoflavans from roots of *Maackia tenuifolia* 893 Jia-Feng Zeng, Guo-Lin Li, Xin Xu and Da-Yuan Zhu

Alkaloids from root bark of *Strychnos panganensis* 897 J.-M. Nuzillard, P. Thépenier, M.-J. Jacquier, G. Massiot, L. Le Men-Olivier and C. Delaude

Alkaloids of *Sarcococca saligna* 903 I. Naeem, N. Khan, M. I. Choudhary and Atta-ur-Rahman

Steroidal alkaloids from *Veratrum album* 907 Atta-ur-Rahman, R. A. Ali, M. Ashraf, M. I. Choudhary, B. Sener and S. Turkoz

3-Aminospirosolane alkaloids from *Solanum arboreum* 913 A. Maxwell, R. Pingal, W. F. Reynolds and S. McLean

Book Review 917

Corrigendum 919

Number 5

Review Article Number 116

Isoprenylated flavonoids—a survey 921 D. Barro and R. K. Ibrahim

Growth and Metabolism

Two dual trypsin/chymotrypsin iso-inhibitors purified from *Festuca arundinacea* seed 983 M. Tasneem, C. A. Cornford, W. A. Laing and M. T. McManus

Mode of phytotoxic action of altersolanols 989 H. Haraguchi, T. Abo, A. Fukuda, N. Okamura and A. Yagi

Isolation of high artemisinin-yielding clones of *Artemisia annua* 993 D. C. Jain, A. K. Mathur, M. M. Gupta, A. K. Singh, R. K. Verma, A. P. Gupta and S. Kumar

Ecological Biochemistry

Non-protein amino acids of *Lathyrus latifolius* as feeding deterrents and phagostimulants in *Spodoptera littoralis* 1003 E. A. Bell, K. P. W. C. Perera, P. B. Nunn, M. S. J. Simmonds and W. M. Blaney

Involvement of polyamines in resistance of wheat to *Puccinia recondita* 1009 Bharti, M. V. Rajam and R. N. Sawhney

Neovasipyridones related to neovasinin, a phytotoxin of the fungus *Neocosmospora* 1015 H. Nakajima, K. Shimomura, T. Furumoto and T. Hamasaki

Three 4′-hydroxyacetophenone-related phytoalexins from *Polymnia sonchifolia* 1019 M. Takasugi and T. Masuda

Taste-modifying triterpene glycosides from *Staurogyne merguensis* 1023 A. Hiura, T. Akabane, K. Ohtani, R. Kasai, K. Yamasaki and Y. Kurihara

Biosynthesis

Lathyrine biosynthesis and the origin of the precursor 2-amino-4-carboxypyrimidine in *Lathyrus tingitanus* 1029 E. G. Brown and Y. Turan

Chemotaxonomy

Infraspecific taxonomy and essential oil chemotypes in sweet basil, *Ocimum basilicum* 1033 R. J. Grayer, G. C. Kite, F. J. Goldstone, S. E. Bryan, A. Paton and E. Putievsky

External flavones in sweet basil, *Ocimum basilicum*, and related taxa 1041 R. J. Grayer, S. E. Bryan, N. C. Veitch, F. J. Goldstone, A. Paton and E. Wollenweber

Three diarylheptanoids from *Rhoiptelea chiliantha* 1049 Z. Jiang, T. Tanaka, H. Hirata, R. Fukuoka and I. Kouno

Plant Chemistry

Furano-eudesma-4(15),7,11-trien-5α-ol from the liverwort *Lophocolea heterophylla* 1055 A. Rieck and W. A. König

Terpenoid constituents of the New Zealand liverwort *Jamesoniella tasmanica* 1057 M. Toyota, E. Nakaishi and Y. Asakawa

Diterpenoid acids from *Mulinum spinosum* 1065 M. Nicoletti, A. Di Fabio, A. D'Andrea, G. Salvatore, C. van Baren and J. D. Coussio

Steroidal glycosides from *Solanum torvum* 1069 S. Yahara, T. Yamashita, N. Nozawa and T. Nohara

Triterpenoid saponins from *Herniaria fontanesii* 1075 A. Nait M'Bark, D. Guillaume, O. Kol and Z. Charrouf

A natural pregnane from *Sansevieria hyacinthoides* 1079 M. M. Gamboa-Angulo, J. Reyes-López and L. M. Peña-Rodríguez

A tribenzylbutyrolactone from *Kyrtuthrix maculans* 1083 Wing-Yan Tsui, G. A. Williams and G. D. Brown

A phenethyl glycoside from *Conocephalum conicum* 1087 M. Toyota, T. Saito and Y. Asakawa

Lignans, γ-lactones and propiophenones of *Virola surinamensis* 1089 N. P. Lopes, E. E. de Almeida Blumenthal, A. J. Cavalheiro, M. J. Kato and M. Yoshida

Lignans and neolignans from *Krameria parvifolia* 1093 H. Achenbach, W. Utz, B. Lozano, E. M. G. Touché and S. Moreno

A secolignan from *Peperomia glabella* 1097 F. Delle Monache and R. S. Compagnone

Mangostanol, a prenyl xanthone from *Garcinia mangostana* 1099 N. Chairungsrilerd, K. Takeuchi, Y. Ohizumi, S. Nozoe and T. Ohta

Partial structures of truffle melanins 1103 F. De Angelis, A. Arcadi, F. Marinelli, M. Paci, D. Botti, G. Pacioni and M. Miranda

A flavonol glycoside from *Myrsine africana* leaves 1107 L. O. M. Arot, J. O. Midiwo and W. Kraus

A flavonoid diglycoside from *Lepisorus ussuriensis* 1111 Young Hae Choi, Young Hee Lim, Hosup Yeo and Jinwoong Kim

Two flavonol triglycosides from flowers of *Indigofera hebepetala* 1115 A. Hasan, I. Ahmad, M. A. Khan and M. I. Chudhary

Isoprenylated flavonoids from underground parts of *Glycyrrhiza glabra* 1119 T. Fukai, C.-B. Sheng, T. Horikoshi and T. Nomura

9-Methoxygeissoschizol, an alkaloid from bark of *Strychnos guianensis* 1125 H. Mavar-Manga, J. Quetin-Leclercq, G. Llabres, M.-L. Belem-Pinheiro, A. F. Imbiriba Da Rocha and L. Angenot

Grinding-induced polymorphism in the aporphine alkaloid magnoflorine 1129 M. S. Hoard and S. D. Elakovich

Book Reviews 1135

Number 6

Announcements ix

The Pergamon Phytochemistry Prize for 1996 1137

Growth and Metabolism

Elicitation of dihydrobenzophenanthridine oxidase in *Sanguinaria canadensis* cell cultures 1141 A. Ignatov, W. G. Clark, S. D. Cline, M. Psenak, R. J. Krueger and C. J. Coscia

Substrate stereospecificity of the NAD-dependent mannitol dehydrogenase from celery 1145 J. M. H. Stoop, W. S. Chilton and D. M. Pharr

Changes in esterases in response to blast infection in fingermillet seedlings 1151 J. Muarlidharan, E. John, L. Channamma and D. Theerthaprasad

A β-glucosidase associated with cell walls from cell suspension cultures of carrot 1157 H. Konno, Y. Yamasaki and K. Katoh

S-Adenosyl-L-methionine metabolism in alfalfa cell cultures following treatment with fungal elicitors — 1163 R. EDWARDS

Lipid changes due to growth-factor supplements in callus and plasma membrane-enriched fraction of rice cultures — 1171 R. SATHISHKUMAR and K. MANOHARAN

Sesquiterpenoids from *Acorus calamus* as germination inhibitors — 1175 K. NAWAMAKI and M. KUROYANAGI

Heterotrophic whole plant tissues show more ^{13}C enrichment than their carbon sources — 1183 V. J. TERWILLIGER and J. HUANG

p-Coumaroylated syringyl units in maize lignin: implications for β-ether cleavage by thioacidolysis — 1189 J. H. GRABBER, S. QUIDEAU and J. RALPH

Ether-linked ferulic acid amides in natural and wound periderms of potato tuber — 1195 J. NEGREL, B. POLLET and C. LAPIERRE

Ecological Biochemistry

Infraspecific variation of insecticidal sesquiterpene dialdehydes in *Pseudowintera colorata* — 1201 N. B. PERRY, L. M. FOSTER and S. D. LORIMER

Potential allelopathic sesquiterpene lactones from sunflower leaves — 1205 F. A. MACÍAS, A. TORRES, J. M. G. MOLINILLO, R. M. VARELA and D. CASTELLANO

Biotransformation of lignans: *meta-O*-demethylation of (−)-magnofargesin in *Spodoptera litura* — 1217 H. KASAHARA, M. MIYAZAWA and H. KAMEOKA

Synthesis of syringolide 1 ketals and esters for receptor studies — 1219 T. TSURUSHIMA, S. L. MIDLAND, C. ZENG, C. JI, J. J. SIMS and N. T. KEEN

Pyrrolizidine alkaloid composition in six Brazilian *Senecio* species — 1227 H. CHR. KREBS, T. CARL and G. G. HABERMEHL

Cell Culture and Biotechnology

Citreohybriddione C, a meroterpenoid of a hybrid strain KO 0031 derived from *Penicillium citreo-viride* B. IFO 6200 and 4692 — 1231 S. KOSEMURA, S. MATSUO and S. YAMAMURA

Structural characterization of 15-hydroxytrichodiene, a sesquiterpenoid produced by transformed tobacco cell suspension cultures expressing a trichodiene synthase gene from *Fusarium sporotrichioides* — 1235 M. ZOOK, K. JOHNSON, T. HOHN and R. HAMMERSCHMIDT

Naphthazarin derivatives from cultures of the lichen *Cladonia cristatella* — 1239 Y. YAMAMOTO, H. MATSUBARA, Y. KINOSHITA, K. KINOSHITA, K. KOYAMA, K. TAKAHASHI, V. AHMADJIAM, T. KUROKAWA and I. YOSHIMURA

Rosmarinic acid from *Lavandula vera MM* cell culture — 1243 E. KOVATCHEVA, A. PAVLOV, I. KOLEVA, M. ILIEVA and M. MIHNEVA

Herbertane sesquiterpenoids from the liverworts *Herbertus aduncus* and *H. borealis* — 1245 M. S. BUCHANAN, J. D. CONNOLLY and D. S. RYCROFT

Pinguisane and sacculatane terpenoids from the liverwort *Porella platyphylla* — 1249 M. S. BUCHANAN, J. D. CONNOLLY and D. S. RYCROFT

Bioactive Plant Products

Triterpene alcohols from the flowers of Compositae and their anti-inflammatory effects — 1255 T. AKIHISA, K. YASUKAWA, H. OINUMA, Y. KASAHARA, S. YAMANOUCHI, M. TAKIDO, K. KUMAKI and T. TAMURA

Cytotoxic neolignans from *Persea obovatifolia* — 1261 IAN-LIH TSAI, CHIH-FENG HSIEH, CHANG-YIH DUH and IH-SHENG CHEN

Five flavans from *Mariscus psilostachys* — 1265 E. GARO, M. MAILLARD, S. ANTUS, S. MAVI and K. HOSTETTMANN

Inhibition of tomato ringspot virus by flavonoids 1271 B. Malhotra, J. C. Onyilagha, B. A. Bohm, G. H. N. Towers, D. James, J. B. Harborne and C. J. French

Plant Chemistry

Isoprene related esters, significant components of *Pandanus tectorius* 1277 I. Vahirua-Lechat, C. Menut, B. Roig, J. M. Bessiere and G. Lamaty

Hydroxycinnamoyl ester glycosides and saponins from flowers of *Verbascum phlomoides* 1281 B. Klimek

Africane- and monocyclofarnesane-type sesquiterpenoids from the liverwort *Porella subobtusa* 1285 F. Nagashima, H. Izumo, A. Ishimaru, S. Momasaki, M. Toyota, T. Hashimoto and Y. Asakawa

An *ent*-kaurane from *Sideritis huber-morathii* 1293 K. H. C. Baser, M. L. Bondi, M. Bruno, N. Kirimer, F. Piozzi, G. Tumen and N. Vassallo

Sphenolobane diterpenoids from the liverwort *Anastrophyllum donnianum* 1297 M. S. Buchanan, J. D. Connolly and D. S. Rycroft

Triterpenes from the combined leaf and stem of *Lithospermum caroliniense* 1303 F. Fullas, M. C. Wani, M. E. Wall, J. C. Tucker, C. W. W. Beecher and A. D. Kinghorn

Triterpenoids and a triterpene glycoside from *Schefflera bodinieri* leaves 1307 Min Zhu, J. D. Phillipson, P. M. Greengrass and N. G. Bowery

Triterpene glycosides from *Schefflera bodinieri* roots 1313 Min Zhu, Shiling Yang, J. D. Phillipson, P. M. Greengrass and N. G. Bowery

Steroidal glycosides, indiosides A–E, from *Solanum indicum* 1319 S. Yahara, T. Nakamura, Y. Someya, T. Matsumoto, T. Yamashita and T. Nohara

Steroidal saponins from *Sansevieria trifasciata* 1325 Y. Mimaki, T. Inoue, M. Kuroda and Y. Sashida

Further alkyl and alkenylphenols of *Knema laurina* and *Knema austrosiamensis*: location of the double bond in the alkenyl side chains 1333 M. J. T. G. Gonzalez, C. J. C. DeOliveira, J. O. Fernandes, A. Kijjoa and W. Herz

Further chromones from *Eriosema tuberosum* 1339 Wei Guang Ma, N. Fuzzati, Shao Long Lu, De Shun Gu and K. Hostettmann

Syzyginins A and B, two ellagitannins from *Syzygium aromaticum* 1345 T. Tanaka, Y. Orii, G. Nonaka, I. Nishioka and I. Kouno

Dihydrobenzofuran lignans from *Boreava orientalis* 1349 A. Sakushima, M. Coşkun, T. Maoka and S. Nishibe

Neolignans and alkaloids from *Piper argyrophylum* 1355 S. K. Singh, A. K. Prasad, C. E. Olsen, A. Jha, S. C. Jain, V. S. Parmar and J. Wengel

Prenylated benzopyran derivatives from two *Polyalthia* species 1361 M. C. González, M. A. Sentandreu, K. S. Rao, M. C. Zafra-Polo and D. Cortes

Acylated pelargonidin glycosides in red–purple flowers of *Ipomoea purpurea* 1365 N. Saito, F. Tatsuzawa, M. Yokoi, K. Kasahara, S. Iida, A. Shigihara and T. Honda

Eryvellutinone, an isoflavanone from the stem bark of *Erythrina vellutina* 1371 E. V. L. Da-Cunha, C. Dias, J. M. Barbosa-Filho and A. I. Gray

Alkaloids from *Narcissus* cv. Salome — 1375 G. R. Almanza, J. M. Fernández, E. W. T. Wakori, F. Viladomat, C. Codina and J. Bastida

Alkaloids from *Brunsvigia orientalis* — 1379 F. Viladomat, G. R. Almanza, C. Codina, J. Bastida, W. E. Campbell and S. Mathee

Alkaloids from *Kopsia pauciflora* — 1385 Toh-Seok Kam, L. Arasu and K. Yoganathan

Cularine *N*-oxide alkaloids from *Ceratocapnos heterocarpa* — 1389 R. Suau, R. Garcia-Segura, M. V. Silva and M. Valpuesta

An improved degradation procedure for determination of the absolute configuration in chiral isoquinoline and β-carboline derivatives — 1393 G. Bringmann, R. God and M. Schäffer

Ancistroheynine A, the first 7,8′-coupled naphthylisoquinoline alkaloid from *Ancistrocladus heyneanus* — 1405 G. Bringmann, D. Koppler, B. Wiesen, G. François, A. S. S. Narayanan, M. R. Almeida, H. Schneider and U. Zimmermann

Short Reports

An eremophilane sesquiterpenoid from *Pedicularis striata pall* ssp. *arachnoidea* — 1411 Jian-Jun Gao, Zhong-Jian Jia and C. Codina

(+)-Nyasol from *Asparagus cochinchinensis* — 1413 Win-Yan Tsui and G. D. Brown

A sesquilignan from *Illicium dunnianum* — 1417 Lai-King Sy and G. D. Brown

Kaempferol 3-*O*-(5″-feruloylapioside) from *Pteridium aquilinum* — 1421 F. Imperato

Vulcanine, a β-carboline alkaloid from *Haplophyllum vulcanicum* — 1425 T. Gözler, B. Gözler, A. Linden and M. Hesse

Carbazole alkaloids from stem bark of *Clausena excavata* — 1427 Tian-Shung Wu, Shiow-Chyn Huang and Pei-Lin Wu

Book Reviews — 1431

Errata and Corrigenda — 1433